

beaufort

HELIRRAFT AVIATION LIFERAFT

Mission validated life support

Expertly designed for protecting your passengers and crew, our Heliraft liferafts emphasise reducing weight, allowing you to carry more fuel, passengers, and cargo. Configured for carriage on any Rotary wing aircraft.

BENEFITS

- ⦿ Rapid Inflation time, meaning it is fully operational and boardable in 60 seconds
- ⦿ Uniquely designed full reversibility, ensuring the raft is always the right way up
- ⦿ Improved entry with inflatable reversible boarding ramp allowing optimal access from the water
- ⦿ Internal and external stowages customised to suit JAR OPS 3 helicopter compliance
- ⦿ Open platform design dramatically improves the boarding and rescue phase
- ⦿ Reliable operation and performance in all temperatures with optimised performance to weight ratio
- ⦿ Accessible emergency packs included providing essential survival aids

“High survivability due to effective design”




HELIRAFTH AVIATION LIFERAFT

CANOPY



CANOPY DOWN



TECHNICAL DATA

HELIRAFTH F7R

Activation	Manual
Rate Capacity	7 Persons
Overload Capacity	11 Persons
Number of Buoyancies	2
Packed Weight (approx)	28 - 30 kg
Release / Certification	EASA Form 1
Warranty	12 months
Time Between Overhaul	12 months (recommended)

ORDERING INFORMATION

Code	Product Name	Valise	Size	Overload	E Pack	Weight	Dimensions
00051240	Heliraft F7R	22	7	11	FAR91	28 - 30 kg	700 x 380 diameter
00051221	Heliraft F7R	22	7	11	JAR OPS 31	28 - 30 kg	700 x 380 diameter

HELIRAFTH AVIATION LIFERAFT

TECHNICAL DATA

HELIRAFTH F10R	
Activation	Manual
Rate Capacity	10 Persons
Overload Capacity	15 Persons
Number of Buoyancies	2
Packed Weight (approx)	32 - 39 kg
Release / Certification	EASA Form 1
Warranty	12 months
Time Between Overhaul	12 months (recommended)

ORDERING INFORMATION

Code	Product Name	Valise	Size	Overload	E Pack	Weight	Dimensions
00051246	Heliraft F10R	79	10	15	FAR91	32 kg	800 x 390 x 280 diameter
00051079	Heliraft F10R	22	10	15	FAR135	39 kg	720 x 380 diameter
00098001	Heliraft F10R	154	10	15	JAR-OPS 3 (includes 500-27 ELT)	32.5 kg	560 x 400 x 360 diameter

TECHNICAL DATA

HELIRAFTH F14R	
Activation	Manual
Rate Capacity	14 Persons
Overload Capacity	21 Persons
Number of Buoyancies	2
Packed Weight (approx)	33 - 51 kg
Release / Certification	EASA Form 1
Warranty	12 months
Time Between Overhaul	12 months (recommended)

ORDERING INFORMATION

Code	Product Name	Valise	Size	Overload	E Pack	Weight	Dimensions
00051297	Heliraft F14R	139	14	21	FAR91	33.3 kg	770 x 360 x 315 diameter
00051185	Heliraft F14R	23MK2	14	21	FAR135	51 kg	815 x 375 diameter

HELIRAFTH AVIATION LIFERAFT

TECHNICAL DATA

HELIRAFTH 18R	
Activation	Manual
Rate Capacity	18 Persons
Overload Capacity	27 Persons
Number of Buoyancies	2
Packed Weight (approx)	48 kg
Release / Certification	EASA Form 1
Warranty	12 months
Time Between Overhaul	12 months (recommended)

ORDERING INFORMATION

Code	Product Name	Valise	Size	Overload	E Pack	Weight	Dimensions
00051013	Heliraft 18R	23MK2A	18	27	FAR91	48 kg	815 x 375 diameter